Cross-contamination is of major house- PRECAUTIONARY STATEMENTS been formulated to aid in the reduction ANIMALS of cross-contamination between treated Caution. Causes moderate eve irritation. product is a one-step disinfectant<sup>6</sup> cleaner that is effective against a broad spec- gum, or using tobacco. trum of bacteria, is virucidal\* (including HIV-1, the AIDS virus and Hepatitis B Vi- FIRST AID rus and Hepatitis C Virus), fungicidal, and inhibits the growth of mold and mildew and their odors, when used as directed.

ENCORE PLUS cleans, disinfects and decausing bacteria. Use this product in hotels, motels. exercise facilities, restaurants, bars, homes, schools, convenience stores, This product is a one-step disinfectant<sup>5</sup>. Bactericidal tested according to the current AOAC Use-Dilution Test Method, Fungicidal according to the AOAC Fungicidal Test and Virucidal\* tested according to the virucidal qualification modified in the presence of 5% organic serum against: Staphylococcus aureus. Staphylococcus aureus - Methicillin Resistant (MRSA), Salmonella enterica, Pseudomonas aeruginosa, Escherichia coli, \*Hepatitis B Virus (HBV), \*Hepatitis C Virus (HCV), \*Herpes Simplex Virus Type 1, \*Herpes Simplex Virus Type 2, \*HIV-1 (AIDS Virus), \*Influenza Virus Type A/Brazil (Influenza), \*Respiratory Syncytial Virus (RSV), \*Vaccinia (Pox Virus), \*Norwalk Virus (Norovirus), \*Human Coronavirus, \*SARS Associated Coronavirus, \*SARS-related Coronavirus 2 cause of COVID-19.

This is a one-step disinfectant5-cleanerfungicide-mildewstat-virucide\* which is effective in the presence of 5% serum contamination.

5When used according to the disinfection directions.

keeping concern. ENCORE PLUS has HAZARDS TO HUMANS AND DOMESTIC

surfaces in not only hospitals, but in Avoid contact with eves or clothing. Wash schools, institutions and industry. This thoroughly with soap and water after handling and before eating, drinking, chewing

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present. after first 5 minutes, then continue rinsing eve. Call a poison control center odorizes in one labor saving step. Kills odor or doctor for treatment advice. Have the container or label with you when calling a poison control center or doctor, or going for treatment.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Before use in federally inspected meat and poultry food processing plants and dairies, food products and packaging materials must be removed from the room or carefully protected.

DISINFECTION/VIRUCIDAL\*/FUNGICID-AL/MOLD & MILDEW CONTROL DIREC-TIONS: Apply this product undiluted to hard. nonporous surfaces, thoroughly wetting the surfaces with a cloth, mop, sponge, sprayer or by immersion. Treated surfaces must remain wet for 10 minutes. For Influenza Virus Type A and Human Coronavirus, treated surfaces must remain visibly wet for 1 minute, For SARS-CoV-2, treated surfaces must remain visibly wet for 3 minutes. Wipe dry with a cloth, sponge or mop or allow to air dry. For visibly soiled areas, a preliminary cleaning is required. For sprayer applications, use a coarse spray device. Spray 6-8 inches from surface. Avoid breathing



# ENCORE One-Step Disinfectant

Cleaner-Fungicide-Mildewstat-Virucide\*-Deodorizer

# FOR HOSPITALS, INSTITUTIONAL & INDUSTRIAL USE

### ACTIVE INGREDIENTS

Octyl decyl dimethyl ammonium chloride	0.025%
Dioctyl dimethyl ammonium chloride.	0.010%
Didecyl dimethyl ammonium chloride	0.015%
Alkyl (C14, 50%; C12, 40%; C16, 10%) dimethyl benzyl ammonium chloride	0.034%
THER INGREDIENTS	9.916%
OTAL	0.000%

EPA Reg. No. 6836-152-44446 EPA Est. No. 44446-TX-1

# **KEEP OUT OF REACH OF CHILDREN** CAUTION

See Back Panel for Precautionary Statements and First Aid

# NET CONTENTS: 1 QT. (32 FL.OZ.)

**QuestSpecialty Corporation** P.O. Box 624 • Brenham, TX 77834 • 713.896.8188 spray. Rinse all surfaces that come in con- sociated with AIDS) or Hepatitis B Virus tact with food, such as countertops, appli- (HBV) or Hepatitis C Virus (HCV). ances, tables and stovetops with potable water before reuse. Do not use on utensils. SPECIAL INSTRUCTIONS FOR CLEAN-

glassware and dishes For fungicidal activity: This product is HIV-1 OR HBV OR HCV ON SURFACES/ an effective one-step fungicide against Trichophyton mentagrophytes when used FLUIDS. Personal protection: Clean-up on hard nonporous surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities. Allow surface to remain visibly wet for 10 minutes.

For mold and mildew: Repeat treatment surfaces and objects before application of every 7 days or more often if new growth appears.

TO CLEAN AND DEODORIZE: Apply undiluted to surfaces with a cloth, mop, sponge or sprayer. Wipe or allow to air drv.

NON-ACID TOILET BOWL AND URINAL **DISINFECTANT/CLEANER DIRECTIONS:** Remove visible filth prior to disinfection Empty toilet or urinal and apply this product to exposed surfaces and under the rim with a cloth, mop, sponge, or sprayer. Brush or swab thoroughly, allow to stand for 10 minutes, and flush. This product is not for use on medical

device surfaces.

\*KILLS HIV-1 AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SUR-FACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/ objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (as-

ING AND DECONTAMINATION AGAINST **OBJECTS SOILED WITH BLOOD/BODY** must always be done wearing protective gloves, gowns, masks and eye protection. Cleaning procedure: Blood and other body fluids containing HIV or HBV or HCV must be thoroughly cleaned from this product. Contact time: Leave surface wet for 1 minute for HIV-1 and 10 minutes for HBV and HCV. Use a 10-minute con-

tact time for disinfection against all other viruses, bacteria and fungi claimed. Disnosal of infectious material: Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children. Container Disposal: Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent). Offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**II**31788<sup>II</sup>00376

ITEM 357000001-320T 600004357 Made in USA